



**SAFETY DATA SHEET**  
Parts Plus® SAE 5W-20 PREMIUM Motor Oil

Version: 6.0

Revision Date: 12/04/2019

Print Date:  
03/17/2020

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

**Product identifier**

Trade name : Parts Plus® SAE 5W-20 PREMIUM Motor Oil

Product code : 884988

**Relevant identified uses of the substance or mixture and uses advised against**

Recommended use : Motor Oil

<b>Details of the supplier of the safety data sheet</b> Valvoline LLC 100 Valvoline Way Lexington, KY 40509 United States of America (USA) 1-800-TEAMVAL (1-800-832-6825)  SDS@valvoline.com	<b>Emergency telephone number</b> +1-800-VALVOLINE (+1-800-825-8654)  <b>Regulatory Information Number</b> 1-800-TEAMVAL (1-800-832-6825)  <b>Product Information</b> 1-800-TEAMVAL (1-800-832-6825)
---	---

**SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification**

Not a hazardous substance or mixture.

**GHS label elements**

Not a hazardous substance or mixture.

**Other hazards which do not result in classification**

No information available.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Hazardous components**

Chemical name	CAS-No.	Classification	Concentration (%)
PETROLEUM DISTILLATES	64742-54-7	Not a hazardous substance or mixture.	>= 50.00 - < 70.00



**SAFETY DATA SHEET**  
Parts Plus® SAE 5W-20 PREMIUM Motor Oil

Version: 6.0

Revision Date: 12/04/2019

Print Date:  
03/17/2020

PETROLEUM DISTILLATES	64742-54-7	Asp. Tox. 1; H304	>= 20.00 - < 30.00
PETROLEUM DISTILLATES	64742-55-8	Asp. Tox. 1; H304	>= 1.00 - < 10.00
DISTILLATES (PETROLEUM)	64742-65-0	Asp. Tox. 1; H304	>= 1.00 - < 10.00

**SECTION 4. FIRST AID MEASURES**

- General advice : No hazards which require special first aid measures.
- If inhaled : If breathed in, move person into fresh air.  
If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.
- In case of skin contact : First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.
- In case of eye contact : Remove contact lenses.  
Protect unharmed eye.
- If swallowed : Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : No symptoms known or expected.
- Notes to physician : No hazards which require special first aid measures.

**SECTION 5. FIREFIGHTING MEASURES**

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.



**SAFETY DATA SHEET**  
Parts Plus® SAE 5W-20 PREMIUM Motor Oil

Version: 6.0

Revision Date: 12/04/2019

Print Date:  
03/17/2020

---

	Water spray Foam Carbon dioxide (CO2) Dry chemical
Specific hazards during firefighting	: Do not allow run-off from fire fighting to enter drains or water courses. If product is heated above its flash point it will produce vapors sufficient to support combustion. Vapors are heavier than air and may travel along the ground and be ignited by heat, pilot lights, other flames and ignition sources at locations near the point of release.
Hazardous combustion products	: carbon dioxide and carbon monoxide Hydrocarbons
Specific extinguishing methods	: Standard procedure for chemical fires.  Product is compatible with standard fire-fighting agents.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus.

---

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures	: Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed. Comply with all applicable federal, state, and local regulations.
Environmental precautions	: Prevent further leakage or spillage if safe to do so.
Methods and materials for containment and cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

---

**SECTION 7. HANDLING AND STORAGE**

Advice on protection against fire and explosion	: Normal measures for preventive fire protection.
Advice on safe handling	: Smoking, eating and drinking should be prohibited in the application area. For personal protection see section 8.
Materials to avoid	: No materials to be especially mentioned.



**SAFETY DATA SHEET**  
Parts Plus® SAE 5W-20 PREMIUM Motor Oil

Version: 6.0

Revision Date: 12/04/2019

Print Date:  
03/17/2020

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
PETROLEUM DISTILLATES	64742-58-1	L-8/40	0.2 mg/m <sup>3</sup>	VE OEL
		TWA	5 mg/m <sup>3</sup>	CR OEL
PETROLEUM DISTILLATES		CMP (Mist)	5 mg/m <sup>3</sup> Mist	AR OEL
		CMP - CPT (Mist)	10 mg/m <sup>3</sup> Mist	AR OEL
		TWA (Mist)	5 mg/m <sup>3</sup> Mist	PE OEL
		STEL (Mist)	10 mg/m <sup>3</sup> Mist	PE OEL
		L-8/40 (Mist)	5 mg/m <sup>3</sup> Mist	VE OEL
		LB (Mist)	10 mg/m <sup>3</sup> Mist	VE OEL
		CPT (Mist)	5 mg/m <sup>3</sup> Mist	PA OEL
		CCT (Mist)	10 mg/m <sup>3</sup> Mist	PA OEL
		TWA (Mist, inhalable)	5 mg/m <sup>3</sup> Mist, inhalable	CR OEL
		STEL (Mist)	10 mg/m <sup>3</sup> Mist	CR OEL

**Engineering measures** : General room ventilation should be adequate for normal conditions of use. However, if unusual operating conditions exist, provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

**Personal protective equipment**

Respiratory protection : No personal respiratory protective equipment normally required.

Eye protection : Not required under normal conditions of use. Wear splash-proof safety goggles if material could be misted or splashed into eyes.

Skin and body protection : Wear as appropriate:  
Safety shoes

Hygiene measures : General industrial hygiene practice.



**SAFETY DATA SHEET**  
Parts Plus® SAE 5W-20 PREMIUM Motor Oil

Version: 6.0

Revision Date: 12/04/2019

Print Date:  
03/17/2020

---

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	:	liquid
Odour	:	No data available
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	> 199 °C Method: Cleveland open cup
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Self-ignition	:	No data available
Upper explosion limit / Upper flammability limit	:	6 %(V) Calculated Explosive Limit
Lower explosion limit / Lower flammability limit	:	1 %(V) Calculated Explosive Limit
Vapour pressure	:	0.0012 hPa (20 °C) Calculated Vapor Pressure
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	0.8620 g/cm <sup>3</sup> (15.56 °C)
Solubility(ies)		
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Decomposition temperature	:	No data available



**SAFETY DATA SHEET**  
Parts Plus® SAE 5W-20 PREMIUM Motor Oil

Version: 6.0

Revision Date: 12/04/2019

Print Date:  
03/17/2020

Viscosity  
Viscosity, dynamic : No data available  
Viscosity, kinematic : 50 mm<sup>2</sup>/s ( 40 °C)  
Oxidizing properties : No data available

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No decomposition if stored and applied as directed.  
Chemical stability : Stable under recommended storage conditions.  
Possibility of hazardous reactions : Product will not undergo hazardous polymerization.  
Conditions to avoid : excessive heat  
Incompatible materials : Strong oxidizing agents  
Hazardous decomposition products : No hazardous decomposition products are known.

---

**SECTION 11. TOXICOLOGICAL INFORMATION**

**Acute toxicity**

Not classified based on available information.

**Components:**

**PETROLEUM DISTILLATES:**

Acute oral toxicity : LD50 (Rat): > 15 g/kg  
Acute dermal toxicity : LD50 (Rabbit): > 5 g/kg

**PETROLEUM DISTILLATES:**

Acute oral toxicity : LD50 (Rat): > 15 g/kg  
Acute dermal toxicity : LD50 (Rabbit): > 5 g/kg

**DISTILLATES (PETROLEUM):**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg



**SAFETY DATA SHEET**  
Parts Plus® SAE 5W-20 PREMIUM Motor Oil

Version: 6.0

Revision Date: 12/04/2019

Print Date:  
03/17/2020

**Skin corrosion/irritation**

Not classified based on available information.

**Components:**

PETROLEUM DISTILLATES:

Result: **Slight, transient irritation**

PETROLEUM DISTILLATES:

Result: **Slight, transient irritation**

PETROLEUM DISTILLATES:

Result: **Slight, transient irritation**

DISTILLATES (PETROLEUM):

Result: **Slight, transient irritation**

**Serious eye damage/eye irritation**

Not classified based on available information.

**Product:**

Remarks: Unlikely to cause eye irritation or injury.

**Components:**

PETROLEUM DISTILLATES:

Result: **No eye irritation**

PETROLEUM DISTILLATES:

Result: **No eye irritation**

PETROLEUM DISTILLATES:

Result: **Slight, transient irritation**

DISTILLATES (PETROLEUM):

Result: **Slight, transient irritation**

**Respiratory or skin sensitisation**

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

**Germ cell mutagenicity**

Not classified based on available information.



**SAFETY DATA SHEET**  
Parts Plus® SAE 5W-20 PREMIUM Motor Oil

Version: 6.0

Revision Date: 12/04/2019

Print Date:  
03/17/2020

**Carcinogenicity**

Not classified based on available information.

**Components:**

**PETROLEUM DISTILLATES:**

Carcinogenicity - Assessment : Classified based on DMSO extract content < 3% (Regulation (EC) 1272/2008, Annex VI, Part 3, Note L)

**PETROLEUM DISTILLATES:**

Carcinogenicity - Assessment : Classified based on DMSO extract content < 3% (Regulation (EC) 1272/2008, Annex VI, Part 3, Note L)

**Reproductive toxicity**

Not classified based on available information.

**STOT - single exposure**

Not classified based on available information.

**STOT - repeated exposure**

Not classified based on available information.

**Aspiration toxicity**

Not classified based on available information.

**Product:**

No aspiration toxicity classification

**Components:**

**PETROLEUM DISTILLATES:**

No aspiration toxicity classification

**PETROLEUM DISTILLATES:**

May be fatal if swallowed and enters airways.

**PETROLEUM DISTILLATES:**

May be fatal if swallowed and enters airways.

**DISTILLATES (PETROLEUM):**

May be fatal if swallowed and enters airways.

**Further information**

**Product:**

Remarks: No data available



**SAFETY DATA SHEET**  
Parts Plus® SAE 5W-20 PREMIUM Motor Oil

Version: 6.0

Revision Date: 12/04/2019

Print Date:  
03/17/2020

**SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

**Components:**

**PETROLEUM DISTILLATES:**

Toxicity to fish	: LL50 (Fish): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EL50 (Aquatic invertebrates): > 10,000 mg/l Exposure time: 48 h
Toxicity to algae	: EL50 (Algae, algal mat (Algae)): > 100 mg/l Exposure time: 72 h
Toxicity to fish (Chronic toxicity)	: NOEC (Fish): 10 mg/l
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Aquatic invertebrates): 10 mg/l

**PETROLEUM DISTILLATES:**

Toxicity to fish	: LL50 (Fish): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EL50 (Aquatic invertebrates): > 10,000 mg/l Exposure time: 48 h
Toxicity to algae	: EL50 (Algae, algal mat (Algae)): > 100 mg/l Exposure time: 72 h
Toxicity to fish (Chronic toxicity)	: NOEC (Fish): 10 mg/l
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Aquatic invertebrates): 10 mg/l

No data available

**Persistence and degradability**

**Components:**

No data available

**Bioaccumulative potential**

**Components:**

**PETROLEUM DISTILLATES:**

Partition coefficient: n-octanol/water	: log Pow: Expected > 7
--	-------------------------



**SAFETY DATA SHEET**  
Parts Plus® SAE 5W-20 PREMIUM Motor Oil

Version: 6.0

Revision Date: 12/04/2019

Print Date:  
03/17/2020



No data available

**Mobility in soil**

**Components:**

No data available

**Other adverse effects**

No data available

**Product:**

Additional ecological information : No data available

**Components:**

---

**SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods**

Contaminated packaging : Empty remaining contents.

---

**SECTION 14. TRANSPORT INFORMATION**

**International Regulations**

**UNRTDG**

Not regulated as a dangerous good

**IATA-DGR**

Not regulated as a dangerous good

**IMDG-Code**

Not regulated as a dangerous good

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

---

**SECTION 15. REGULATORY INFORMATION**

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

Chemical Control Order (CCO) : Not applicable

Priority Chemical List (PCL) : Not applicable

**Other international regulations**



# SAFETY DATA SHEET

Parts Plus® SAE 5W-20 PREMIUM Motor Oil

Version: 6.0

Revision Date: 12/04/2019

Print Date:  
03/17/2020

---

**The components of this product are reported in the following inventories:**

DSL	: All components of this product are on the Canadian DSL
AICS	: On the inventory, or in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
TCSI	: Not in compliance with the inventory
TSCA	: On TSCA Inventory

**Inventories**

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

---

**SECTION 16. OTHER INFORMATION**

**Further information**

Internal information : R0366793

**Full text of H-Statements**

H304                      May be fatal if swallowed and enters airways.

Other information                      : The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Valvoline's Environmental Health and Safety Department (1-800-VALVOLINE).

Sources of key data used to compile the Safety Data Sheet  
Valvoline internal data including own and sponsored test reports  
The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet :



**SAFETY DATA SHEET**  
Parts Plus® SAE 5W-20 PREMIUM Motor Oil

Version: 6.0

Revision Date: 12/04/2019

Print Date:  
03/17/2020

ACGIH : American Conference of Industrial Hygienists  
BEI : Biological Exposure Index  
CAS : Chemical Abstracts Service (Division of the American Chemical Society).  
CMR : Carcinogenic, Mutagenic or Toxic for Reproduction  
FG : Food grade  
GHS : Globally Harmonized System of Classification and Labeling of Chemicals.  
H-statement : Hazard Statement  
IATA : International Air Transport Association.  
IATA-DGR : Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO : International Civil Aviation Organization  
ICAO-TI (ICAO) : Technical Instructions by the "International Civil Aviation Organization"  
IMDG : International Maritime Code for Dangerous Goods  
ISO : International Organization for Standardization  
logPow : octanol-water partition coefficient  
LCxx : Lethal Concentration, for xx percent of test population  
LDxx : Lethal Dose, for xx percent of test population.  
ICxx : Inhibitory Concentration for xx of a substance  
Ecxx : Effective Concentration of xx  
N.O.S.: Not Otherwise Specified  
OECD : Organization for Economic Co-operation and Development  
OEL : Occupational Exposure Limit  
P-Statement : Precautionary Statement  
PBT : Persistent , Bioaccumulative and Toxic  
PPE : Personal Protective Equipment  
STEL : Short-term exposure limit  
STOT : Specific Target Organ Toxicity  
TLV : Threshold Limit Value  
TWA : Time-weighted average  
vPvB : Very Persistent and Very Bioaccumulative  
WEL : Workplace Exposure Level

CEATOX  
Assistance Center of the Institute of Toxicology  
Children's Hospital Clinic, Faculty of Medicine  
University of São Paulo.  
BR OEL : Occupational Exposure Limit (Brazil)  
UY OEL : Occupational Exposure Limit (Uruguay)  
PY OEL : Occupational Exposure Limit (Paraguay)